

rt- PA

doi 10.3969/j.issn.1009-6574.2017.03.021

Advances in mechanism of intracranial hemorrhage and transformation after intravenous thrombolysis treatment with rt- PA HE Zi-long MA Guo-zhong CUI Fang, Department of Neurology Hainan Branch PLA General Hospital Sanya 572031 China

Keywords Ischemic stroke rt- PA Intravenous thrombolysis Intracranial hemorrhage transformation Reviews

Plasminogen Activator (Recombinant Tissue Plasminogen Activator) rt- PA

(ECASS) (NINDS) 2014 rt- PA

rt- PA

rt- PA

1

(7 d)

ECASS

ECASS (Hemorrhagic Infarcts HI) (Parenchymal Hematomas PH)

HI PH

PH

PH

(Symptomatic Intracerebral Hemorrhage sICH) (Non- symptomatic Hemorrhage ICH) sICH

NINDS ECASS

(SITS- MOST) 3 6

ECASS

1 7

()

22 h-7 d¹

rt- PA 27.5%⁷

NINDS

5 min

rt- PA

24 h 80%

12 h

24 h

2

NINDS ECASS

BBB)
rt- PA

rt- PA

-

14-15

BBB
HI

PH

4

()

PH

CT

8-9

sICH

(Cerebral Amyloid Angiopathy CAA)

CAA rt- PA

70%

¹⁰⁻¹¹

22%

CAA

(Cerebral Microbleeds CMB)

CAA

rt- PA

16-17

Meta

CMB

sICH

(RR)

1.90(95% CI=0.92~3.93)

P=0.08)⁴

Kimura

¹²

CMB

CMB

24 h

SITS GRAPSPS SEDAN HAT

CMB

sICH

7

HINSS

Mehta ¹³

C (C- statistic)

C

0.62~0.70

rt- PA

2

18-20

BBB

BBB

3 rt- PA

BBB

HI PH

ECASS-I

rt- PA

36 h

30%

13%
 rt- PA
 21
 rt- PA
 (1)rt- PA
 rt- PA
 rt- PA
 (2)rt- PA
 PH
 rt- PA
 PH
 rt- PA
 rt- PA
 22
 rt- PA
 rt- PA
 BBB
 (LDL
 Receptor- related Protein LRP)
 C(Derived Growth Factor C) N-
 (N- methyl- d- aspartate NMDA)NR1
 rt- PA
 rt- PA
 23-27
 BBB
 BBB
 28
 rt- PA
 (Matrix Metalloproteinase MMP)
 MMP- 9
 MMP
 BBB
 14 26 28
 BBB
 rt- PA
 rt- PA
 1
 J .

2013 8(3):190- 196

- 2 Vandelli L Marietta M Gambini M et al. Fibrinogen decrease after intravenous thrombolysis in ischemic stroke patients is a risk factor for intracerebral hemorrhage J . J Stroke Cerebrovasc Dis 2015 24(2):394- 400
- 3 Kase CS Furlan AJ Wechsler LR et al. Cerebral hemorrhage after intra- arterial thrombolysis for ischemic stroke: the PROACT II trial J . Neurology 2001 57(9):1 603- 1 610
- 4 lvarez- Sabín J Maisterra O Santamarina E et al. Factors influencing haemorrhagic transformation in ischaemic stroke J . Lancet Neurol 2013 12(7):689- 705
- 5 Larue V von Kummer RR Müller A et al. Risk factors for severe hemorrhagic transformation in ischemic stroke patients treated with recombinant tissue plasminogen activator: a secondary analysis of the European- Australasian Acute Stroke Study (ECASS II) J . Stroke 2001 32(2):438- 441.
- 6 Wahlgren N Ahmed N Dávalos A et al. Thrombolysis with alteplase for acute ischaemic stroke in the Safe Implementation of Thrombolysis in Stroke- Monitoring Study (SITS- MOST): an observational study J . Lancet 2007 369:275- 282
- 7 Strbian D Sairanen T Meretoja A et al. Patient outcomes from symptomatic intracerebral hemorrhage after stroke thrombolysis J . Neurology 2011 77(4):341- 348
- 8 Mazya M/ Ahmed N Ford GA et al. Remote or extracerebral intracerebral hemorrhage - an uncommon complication of stroke thrombolysis: results from the safe implementation of treatments in stroke- international stroke thrombolysis register J . Stroke 2014 45(6):1 657- 1 663
- 9 O' Carroll CB Aguilar MI. Management of Postthrombolysis Hemorrhagic and Orolingual Angioedema Complications J . Neurohospitalist 2015 5(3):133- 141.
- 10 Winkler DT Biedermann L Tolnay M et al. Thrombolysis induces cerebral hemorrhage in a mouse model of cerebral amyloid angiopathy J . Ann Neurol 2002 51(6):790- 793
- 11 Charidimou A Shoamanesh A Wilson D et al. Cerebral microbleeds and postthrombolysis intracerebral hemorrhage risk Updated meta- analysis J . Neurology 2015 85(11):924- 927.
- 12 Kimura K Aoki J Shibasaki K et al. New appearance of extracerebral microbleeds on T2*- weighted magnetic resonance imaging 24 hours after tissue- type plasminogen active administration J . Stroke 2013 44(10):2 276- 2 281.
- 13 Mehta RH Cox M Smith EE et al. Race/Ethnic differences in the risk of hemorrhagic complications among patients with ischemic stroke receiving thrombolytic therapy J . Stroke 2014 45(8):2 263- 2 269.
- 14 J . 2006 1(12):904- 906
- 15 Simard JM Kent TA Chen M et al. Brain oedema in focal ischaemia: molecular pathophysiology and theoretical implications J . Lancet Neurol 2007 6(3):258- 268
- 16 J . 2016 22(23):4 649- 4 653
- 17 Sommer CJ. Ischemic stroke: experimental models and reality J . Acta Neuropathol 2017 133(2):245- 261.
- 18 Lo WT Cheung CY Li CK et al. Thrombolysis in chinese ischemic stroke patients with renal dysfunction J . Interv Neurol 2015 3(2):101- 106

doi 10.3969/j.issn.1009-6574.2017.03.022

Research progress in vascular cognitive impairment DI Jing-long SUN Wei. Department of Neurology the First Affiliated Hospital Qunli Branch of Harbin Medical University Harbin 150000 China

Key words Stroke Dementia Vascular cognitive impairment Reviews

(Vascular Cognitive Impairment
 VCI) Hachinski Bowler¹ 1993
)
 VCI
 VCI
 VCI
 VCI
 (Vascular Mild Cognitive Impairment
 VaMCI) (Vascular Dementia VaD)
 2
 VCI
 1 VCI
 VCI
 VCI
 VCI
 ()
 150000
 Hachinski Bowler¹
 Email 13634809995@163.com VCI 3

19 Maestrini I Stibian D Gautier S et al. Higher neutrophil counts before thrombolysis for cerebral ischemia predict worse outcomes J . Neurology 2015 85(16):1 408- 1 416
 20 Huang W FitzGerald G Goldberg RJ et al. Performance of the GRACE Risk Score 2.0 Simplified Algorithm for Predicting 1- Year Death After Hospitalization for an Acute Coronary Syndrome in a Contemporary Multiracial Cohort J . Am J Cardiol 2016 118(8):1 105- 1 110
 21 Trouillas P von KR. Classification and pathogenesis of cerebral hemorrhages after thrombolysis in ischemic stroke J . Stroke 2006 37(2):556- 561.
 22 Crumrine RC Marder VJ Taylor GM et al. Intra- arterial administration of recombinant tissue- type plasminogen activator (rt- PA) causes more intracranial bleeding than does intravenous rt- PA in a transient rat middle cerebral artery occlusion model J . Exp Transl Stroke Med 2011 3(1):10.
 23 Cuadrado E Ortega L Hernández- Guillamon M et al. Tissue plasminogen activator (t- PA) promotes neutrophil degranulation and MMP- 9 release J . J Leukoc Biol 2008 84(1):207- 214
 24

Meta J .
 2015 15(5):474- 477.
 25 Yepes M Roussel BD Ali C et al. Tissue- type plasminogen activator in the ischemic brain: more than a thrombolytic J . Trends Neurosci 2009 32(1):48- 55
 26 Jin R Yang G Li G. Molecular insights and therapeutic targets for blood- brain barrier disruption in ischemic stroke: critical role of matrix metalloproteinases and tissue- type plasminogen activator J . Neurobiol Dis 2010 38(3):376- 385
 27 Lopez- Atalaya JP Roussel BD Levrat D et al. Toward safer thrombolytic agents in stroke: molecular requirements for NMDA receptor- mediated neurotoxicity J . J Cereb Blood Flow Metab 2008 28(6):1 212- 1 221.
 28 Bartosz K Henry H Eric ES et al. What causes intracerebral bleeding after thrombolysis for acute ischaemic stroke? Recent insights into mechanisms and potential biomarkers J . J Neurol Neurosurg Psychiatry 2015 86(10):1 127- 1 136
 (2016-12-26)